

Nguyen, Viet Ha; Vu, Ngoc Quang

Article

The first phase of research and manufacturing of bridge deformation monitoring equipment using position sensor: case study in Vietnam

Technology audit and production reserves

Provided in Cooperation with:

ZBW OAS

Reference: Nguyen, Viet Ha/Vu, Ngoc Quang (2022). The first phase of research and manufacturing of bridge deformation monitoring equipment using position sensor: case study in Vietnam. In: Technology audit and production reserves 4 (2/66), S. 42 - 46.
<http://journals.ur.uan.ua/tarp/article/download/263719/260149/608280>.
doi:10.15587/2706-5448.2022.263719.

This Version is available at:

<http://hdl.handle.net/11159/12785>

Kontakt/Contact

ZBW – Leibniz-Informationszentrum Wirtschaft/Leibniz Information Centre for Economics
Düsternbrooker Weg 120
24105 Kiel (Germany)
E-Mail: [rights\[at\]zbw.eu](mailto:rights[at]zbw.eu)
<https://www.zbw.eu/>

Standard-Nutzungsbedingungen:

Dieses Dokument darf zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden. Sie dürfen dieses Dokument nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, aufführen, vertreiben oder anderweitig nutzen. Sofern für das Dokument eine Open-Content-Lizenz verwendet wurde, so gelten abweichend von diesen Nutzungsbedingungen die in der Lizenz gewährten Nutzungsrechte. Alle auf diesem Vorblatt angegebenen Informationen einschließlich der Rechteinformationen (z.B. Nennung einer Creative Commons Lizenz) wurden automatisch generiert und müssen durch Nutzer:innen vor einer Nachnutzung sorgfältig überprüft werden. Die Lizenzangaben stammen aus Publikationsmetadaten und können Fehler oder Ungenauigkeiten enthalten.

Terms of use:

This document may be saved and copied for your personal and scholarly purposes. You are not to copy it for public or commercial purposes, to exhibit the document in public, to perform, distribute or otherwise use the document in public. If the document is made available under a Creative Commons Licence you may exercise further usage rights as specified in the licence. All information provided on this publication cover sheet, including copyright details (e.g. indication of a Creative Commons license), was automatically generated and must be carefully reviewed by users prior to reuse. The license information is derived from publication metadata and may contain errors or inaccuracies.



<https://savearchive.zbw.eu/terms-of-use>

Viet Ha Nguyen,
Ngoc Quang Vu

THE FIRST PHASE OF RESEARCH AND MANUFACTURING OF BRIDGE DEFORMATION MONITORING EQUIPMENT USING POSITION SENSOR: CASE STUDY IN VIETNAM

This paper is the first result of an experimental study of manufacturing deformation monitoring equipment using a position sensor, an efficient solution for contractors in bridge monitoring during either process of construction or operation in the context of the increasing number of large bridges. The object of the research is bridgework. And the work is aimed at achieving two tasks, which include meeting the need of the surveyors in real-time monitoring and warning during the construction process with a suitable price and reducing the reliance on manufacturers in supplying and operating monitoring systems.

The study used a KTR position sensor, a Linear Variable Differential Transformer, and an Arduino board for embedded coding. Data from the KTR sensor are acquired, processed, and controlled by a program written in Python. The results of the study are compared to the true observations from a Mitutoyo Palmer which has 0.01 mm accuracy in a laboratory.

The initial results from the laboratory show prospects for applications in reality, and accuracy is suitable for technical measurements. This is also a good choice for surveyors in acquiring continuously monitoring data at high accuracy for bridge monitoring in general and structure in particular. The study is fundamental to expanding the number of channels from 1 to 8 or 16 for monitoring a full cross-section. At the same time, cable connection mode will be developed to Wi-Fi or Bluetooth mode for online observation. The results of the study confirm the scientificity, and feasibility of the solution. This solution can be applied for either bridge monitoring or other monitoring fields and can be produced by contractors. The cost of monitoring projects will be significantly reduced and there will be no more disruption of monitoring projects after suppliers leave as a new system will be quickly added or replaced.

Keywords: bridge monitoring, Arduino board, potentiometer sensor, amplifier, real-time monitoring, displacement.

Received date: 22.08.2022

Accepted date: 29.08.2022

Published date: 31.08.2022

© The Author(s) 2022

This is an open access article
under the Creative Commons CC BY license

How to cite

Nguyen, V. H., Vu, N. Q. (2022). The first phase of research and manufacturing of bridge deformation monitoring equipment using position sensor: case study in Vietnam. *Technology Audit and Production Reserves*, 4 (2 (66)), 42–46. doi: <https://doi.org/10.15587/2706-5448.2022.263719>

1. Introduction

In recent years, the number of big bridges with complex scales is increasing rapidly including My Thuan, Kien, Can Tho, Binh, Bai Chay, Phu My, Rach Mieu, Tran Thi Ly, Nhat Tan, Cao Lanh, and Thuan Phuoc. Structural health monitoring systems were deployed for many of them. In terms of principle, these systems have the same structure and operating procedures. Equipment systems and their installation can be referred to in [1–3]. Suppliers are reliant on terms of deployment and operation of monitoring systems. Some of the existing monitoring systems do not work after the construction phase. In [4] show that controlling the evolution of impacts on the work during the construction, operation, and maintenance stage is an obligated task of investors, contractors, and management units. For cable-stayed bridges only, by 2015, there were

12 bridges put into operation. Besides normal incidents, some big ones happened such as Rao, Binh, and Bai Chay bridge [4]. Human and economic losses would be significantly reduced if these works were continuously monitored and warned. The reasons for this are below. Firstly, contractors are not proactive about equipment and technologies. Secondly, the expense for this task is exorbitant. In terms of research, an overview of the monitoring systems for bridge work in Vietnam can be seen in [5, 6] in which monitoring systems were mainly imported.

The development of the latest techniques including fiber optic sensors; smart material, communication, wireless network, and data processing has a huge contribution to monitoring systems [7]. The advancement of the Internet of Things (IoT) allows connecting anything, anyone at any time [8–10]. And their structure can be referred to [11, 12]. A wireless sensor network (WSN) can be deployed in

various environments and applied to collect data on the different structures [13–15].

As a result, many studies have used sensors in structural condition monitoring systems [15–17]. In doing so, they combined classical surveillance and sensors [18, 19], UAVs combining IoT [20]. Or they combined optimizing sensor placement for structural condition monitoring [21–23].

Five recent years, the number of researches on applying IoT and sensors for bridge monitoring was increasing rapidly, and all is for providing continuous, real-time data, ensuring accuracy and reliability, and warning.

Therefore, it can be seen that research is completely suitable with study trends and the need for monitoring tasks in Vietnam. *The object of the research* is bridgework, and *this article aims* to confirm the feasibility, scientificity, and accuracy of the solution.

2. Research methodology

For bridge girders, behavior is shown in Fig. 1.




Fig. 1. Bridge girder status with loading and unloading

The stress-strain relationship is linear:

$$\sigma = E \cdot \varepsilon, \quad (1)$$

where σ – stress of measured point, MPa; E – elastic modulus of the material, MPa; ε – unit strain, mm/mm.

The distance between points A and B without the impact of loading and unloading is L_0 and $L_0 + \Delta$ respectively, and ε is determined:

$$\varepsilon = \frac{\Delta}{L_0}. \quad (2)$$

Suppose that L_0 and Δ can be measured, combined with a modulus of the material, and equation 1, σ can be determined:

$$\sigma = E \cdot \varepsilon = E \cdot \frac{\Delta}{L_0}. \quad (3)$$

In case E is unknown, Δ , L_0 can be used for other technical purposes.

Arduino board and Amplifier

The Arduino board is an embedded system with a brain that is hidden from the end-user [24]. The Arduino board can be used for coding with different languages [25, 26], and is built to control a range of functions as well [27]. An adapter is integrated into the Arduino board (Fig. 2). The following analysis shows that this integrated circuit is not suitable for the required accuracy.




Fig. 2. Arduino board

For technical observation, the accuracy of stress measurement is about 0.01 MPa. The modulus of concrete grade 30 MPa is about 28.100 MPa, and unit strain needs to be measured as follows:

$$\Delta \varepsilon_{yc} = \frac{\Delta \sigma}{E_c} = 3.558 \cdot 10^{-7} = 0.356 \mu \varepsilon.$$

The travel of a common position sensor is $\Delta = 12.7$ mm, integrated ADC has a 10-bit solution, and the maximum number of states is $\rho_{10bits} = 2^{10}$. The solution of real displacement following the travel of the sensor will be:

$$\delta_{10bits} = \Delta / \rho_{10bits} = 12.7 / 2^{10} = 0.0124 \text{ mm}.$$

For basic length $L_0 = 200$ mm, the solution of unit strain is as follows:

$$\Delta \varepsilon_{10bits} = \delta_{10bits} / L_0 = 0.0124 / 200 = 62.011 \mu \varepsilon.$$

The ratio between the real and required solution is as follows:

$$\Delta \varepsilon_{10bits} / \Delta \varepsilon_{yc} = 174 \gg 1.$$

This means that the accuracy does not meet the required technical accuracy. The analysis shows that if data is collected directly via integrated ADC on the Arduino, it will not be used for assessment and analyzing structure. Based on the above analysis, an HX-711 (Fig. 3) amplifier will be used.




Fig. 3. Amplify circuit and ADC

HX-711 has a 24-bit solution (01 bit for positive or negative signs). The maximum number of states is $\rho_{24bits} = 2^{24-1}$. And the solution of real displacement is as follows:

$$\delta_{24bits} = \Delta / \rho_{24bits} = 12.7 / 2^{23} = 1.51 \cdot 10^{-6} \text{ mm}.$$

The solution of unit strain is as follows:

$$\Delta_{\epsilon 24bits} = \delta_{24bits} / L_0 = 7.56 \cdot 10^{-9} = 0.00757 \mu\epsilon.$$

The ratio between the real and required solution is as follows:

$$\Delta_{\epsilon 24bits} / \Delta_{\epsilon yc} = 0.0212 \ll 1.$$

In conclusion, HX-711 allows enhancing the accuracy of data measurement and meets the requirements of the civil engineering sector.

There are different kinds of potentiometers and their specifications and applications are in [28]. For this experiment, a Linear Variable Differential Transformer (LVDT) will be used (Fig. 4).



Fig. 4. KTR potentiometer sensor

When there is a movement, the output voltage will change linearly with the displacement of the probe (Fig. 5). Based on the parameters of those devices, a completed circuit was set as (Fig. 6).




Fig. 5. Illustration of the circuit




Fig. 6. A completed circuit

For this experiment, the C# language was used for embed coding on the Arduino Board to control the sensor to get

data, transfer, and process. Visual Basic was used to code for displaying, analyzing, and storing data. Data is transferred to a computer via a cable and stored on hard disks. Program interface can be referred to in Fig. 7.




Fig. 7. Program interface

In this program, the volts readings and the displacements in mm can be observed in the two first columns, and A , B coefficients for calibrating can be input as well as variance and standard deviation can be calculated.

3. Research results and discussion

After manufacturing and adjusting the device, the experiment was performed in a Lab. The results were compared to a Mitutoyo Palmer that has 0.01 mm accuracy. The results are in Table 1.

For calculating regression coefficients, the values of Y^* and $(Y - Y^*)^2$ are in Table 2.

Calculating regression coefficients:

$$b = \frac{\sum(x - \bar{x})(y - \bar{y})}{\sum(x - \bar{x})^2} = 12.37782556; a = -2.121381478,$$

where a and b are regression coefficients; x – reading of volts; \bar{x} – the average value of readings of volts; y – displacement; \bar{y} – the average value of displacement.

Variance:

$$\sigma^2 = \frac{\sum(y - y^*)^2}{n-1} = 0.018984,$$

where y^* – calculated displacement.

Standard deviation:

$$s = \sqrt{\sigma^2} = 0.137784.$$

The average value of observations:

$$y_{tb} = 7.297272727 \text{ mm.}$$

Readings of volts and displacement

Table 1

Readings of volts x (Volt)	Displacement Y (mm)
5.021621240	0.00
5.021621240	0.59
5.021621240	1.00
5.021621240	1.53
5.021621240	2.01
4.746249436	2.59
4.440280764	3.08
4.093516270	3.62
3.889537156	4.04
3.644762219	4.52
3.399987282	5.07
3.134814434	5.53
2.910437408	6.04
2.696259338	6.55
2.461683357	7.01
2.216908420	7.56
2.002730350	8.06
1.819149147	8.51
1.564175254	9.10
1.380594052	9.55
1.125620159	10.04
0.850248355	10.52
0.625871329	11.04
0.452489082	11.52
0.197515189	12.05
0.013933986	12.53
0.013933986	13.13

Readings of volts and Displacement


Table 2

$Y = aX + b$	$(Y - Y')^2$
1.725051	0.081196
2.309220	0.078837
2.958296	0.014812
3.693916	0.005464
4.126633	0.007505
4.645895	0.015849
5.165156	0.009055
5.727688	0.039081
6.203678	0.026790
6.658031	0.011671
7.155656	0.021216
7.674917	0.013206
8.129270	0.004798
8.518716	0.000076
9.059613	0.001631
9.449059	0.010189
9.989956	0.002504
10.574120	0.002929
11.050110	0.000102
11.417920	0.010420
11.958820	0.008314
12.348270	0.033027
Σ	0.3986725

The error of observation:

$$\frac{s}{y_{ib}} = 0.018881561 = 1.89 \%$$

The relationship between the reading of volts and displacement is in Fig. 8.

**Fig. 8.** Relationship between the reading of volts and displacement

The research and development of displacement equipment based on position sensors provide the surveying field with a useful tool for continuously obtaining high-accuracy data for monitoring structures in general and bridge works in particular during construction and exploitation, particularly for inspection tasks.

Based on the initial experimental results, the application of the equipment is feasible, and the accuracy is smaller than mm.

The study's first phase was conducted with only one channel to confirm the scientificity and feasibility. Therefore, it is recommended to increase the number of channels from 1 to 8 or 16 channels to monitor the state of the bridge girder span cross-section and for a comprehensive assessment of the span structure.

Transferring data via USB cable should be replaced by Bluetooth or Wi-Fi for the convenience of users.

The results of the study can be applied to other fields in construction.

4. Conclusions

The research is successful to manufacture a monitoring system using a KTR position sensor. The novelty of the research is getting data from the sensor with no requirement of a data logger; data can be transferred into a computer.

In the research, a controlling program is successfully obtained to automatically get data from the sensor using Python, a real-time processing algorithm, and display data on the screen.

The accuracy of the solution is smaller than 1 mm and can be applied in the reality of real-time bridge monitoring.

Conflict of interest

The authors declare that they have no conflict of interest in relation to this research, whether financial, personal, authorship or otherwise, that could affect the research and its results presented in this paper.

Acknowledgments

The authors are grateful to the board of managers of Thuan Viet company for facilitating the conduct of the experiment in the laboratory.

References

- Huỳnh, B. H. (2014). Bố trí thiết bị quan trắc cho cầu dây văng Rach Miêu. *Tư vấn thiết kế*, 1, 33–38.
- Nguyen, L., Huy, H. P., Hong, T. B. (2018). Structural Health Monitoring System of the Thuan Phuoc Suspension Bridge in Viet Nam. *The International Conference on GeoInformatics for Spatial-Infrastructure Development in Earth & Allied Sciences*, 1–13.
- Nam, H., Nam, L. V., Thành, N. V., Thông, M. L. (2018). Hệ quan trắc công trình cầu Cần Thơ. *Tạp chí Giao thông vận tải*, 1–11.
- Tùng, T. T. (2015). Thống nhất quản lý việc lắp đặt hệ thống quan trắc trong thi công và khai thác công trình. *Tạp chí điện tử Bộ giao thông vận tải*, 1–5.
- Chính, L. M. (2013). Hệ thống quan trắc lâu dài công trình lớn ở Việt Nam. *Tuyển tập Hội nghị Khoa học thường niên năm*, 31–33.
- Chính, L. M. (2015). Monitoring methods determine displacements of the cable-stayed bridge tower on structural health monitoring system (SHMS). *Khoa Học Kỹ Thuật Thủy Lợi và Môi Trường*, 48, 57–63.
- Bisby, L. A. (2005). *An Introduction to Structural Health Monitoring*. Available at: http://www.samco.org/network/download_area/teaching_materials/teaching_mat_1.pdf
- Atzori, L., Iera, A., Morabito, G. (2010). The Internet of Things: A survey. *Computer Networks*, 54 (15), 2787–2805. doi: <http://doi.org/10.1016/j.comnet.2010.05.010>
- Vermesan, O., Friess, P., Guillemin, P., Gusmeroli, S., Sundmaeker, H., Bassi, A. et. al. (2009). Internet of Things Strategic Research Roadmap. *Internet of Things Vis*, 10–51.
- Vermesan, O., Friess, P. (2013). *Internet of Things – Converging Technologies for Smart Environments and Integrated Ecosystems*. River Publishers, 153–204.
- Weyrich, M., Ebert, C. (2016). Reference Architectures for the Internet of Things. *IEEE Software*, 33 (1), 112–116. doi: <http://doi.org/10.1109/ms.2016.20>
- Cavalcante, E., Alves, M. P., Batista, T., Delicato, F. C., Pires, P. F. (2015). An Analysis of Reference Architectures for the Internet of Things. *Proceedings of the 1st International Workshop on Exploring Component-Based Techniques for Constructing Reference Architectures*. doi: <http://doi.org/10.1145/2755567.2755569>
- BenSaleh, M. S., Saida, R., Kacem, Y. H., Abid, M. (2020). Wireless Sensor Network Design Methodologies: A Survey. *Journal of Sensors*, 2020, 1–13. doi: <http://doi.org/10.1155/2020/9592836>
- Maraiya, K., Kant, K., Gupta, N. (2011). Application based Study on Wireless Sensor Network. *International Journal of Computer Applications*, 21 (8), 9–15. doi: <http://doi.org/10.5120/2534-3459>
- Mainwaring, A., Culler, D., Polastre, J., Szewczyk, R., Anderson, J. (2002). Wireless sensor networks for habitat monitoring. *Proceedings of the 1st ACM International Workshop on Wireless Sensor Networks and Applications – WSNA '02*. doi: <http://doi.org/10.1145/570738.570751>
- Markmiller, J. F. C., Chang, F.-K. (2009). Sensor Network Optimization for a Passive Sensing Impact Detection Technique. *Structural Health Monitoring*, 9 (1), 25–39. doi: <http://doi.org/10.1177/1475921709349673>
- Gupta, V., Sharma, M., Thakur, N. (2010). Optimization Criteria for Optimal Placement of Piezoelectric Sensors and Actuators on a Smart Structure: A Technical Review. *Journal of Intelligent Material Systems and Structures*, 21 (12), 1227–1243. doi: <http://doi.org/10.1177/1045389x10381659>
- Kopáček, A., Lipták, I., Erdélyi, J., Kyrinovič, P. (2015). Structural health monitoring of bridges using accelerometers – a case study at Apollo Bridge in Bratislava. *Geonauka*, 3 (1), 9–15. doi: <http://doi.org/10.14438/gn.2015.03>
- Kopáček, A. (2017). *Deformation monitoring of Danube bridges in Bratislava by integrated measurement system*. FIG Working Week. Available at: https://www.fig.net/resources/proceedings/fig_proceedings/fig2017/ppt/ts02f/TS02F_kopacik_liptak_et_al_8542_ppt.pdf
- Bacco, M., Barsocchi, P., Cassara, P., Germanese, D., Gotta, A., Leone, G. R. et. al. (2020). Monitoring Ancient Buildings: Real Deployment of an IoT System Enhanced by UAVs and Virtual Reality. *IEEE Access*, 8, 50131–50148. doi: <http://doi.org/10.1109/access.2020.2980359>
- Ostachowicz, W., Soman, R., Malinowski, P. (2019). Optimization of sensor placement for structural health monitoring: a review. *Structural Health Monitoring*, 18 (3), 963–988. doi: <http://doi.org/10.1177/1475921719825601>
- Capellari, G., Chatzi, E., Mariani, S. (2018). Cost-Benefit Optimization of Structural Health Monitoring Sensor Networks. *Sensors*, 18 (7). doi: <http://doi.org/10.3390/s18072174>
- Soman, R., Kudela, P., Balasubramaniam, K., Singh, S. K., Malinowski, P. (2019). A Study of Sensor Placement Optimization Problem for Guided Wave-Based Damage Detection. *Sensors*, 19 (8), 1856. doi: <http://doi.org/10.3390/s19081856>
- Russell, D. J. (2010). *Introduction to embedded systems: Using ANSI C and the Arduino development environment*. Morgan&cLaypool publishers, 276. doi: <http://doi.org/10.1007/978-3-031-79824-5>
- Bayle, J. (2013). *C programming for Arduino: learn how to program and use Arduino boards with a series of engaging examples, illustrating each core concept*. Packt Pub, 512.
- Purdum, J. J. (2012). *Beginning C for Arduino: learn C programming for the Arduino and compatible microcontrollers*. Apress. Available at: <https://www.mica.edu.vn/perso/Vu-Hai/EE3490/Ref/Beginning.C.for.Arduino.Dec.2012.pdf>
- Voudoukis, N. F. (2019). Arduino Based Embedded System and Remote Access Technologies of Environmental Variables Monitoring. *European Journal of Electrical Engineering and Computer Science*, 3 (4). doi: <http://doi.org/10.24018/ejece.2019.3.4.101>
- Todd, C. D. (1975). *The Potentiometer Handbook*. New York: McGraw-Hill, 12.

✉ **Viet Ha Nguyen**, PhD, Associate Professor, Department of Engineering Geodesy, Hanoi University of Mining and Geology, Ha Noi, Vietnam, ORCID: <https://orcid.org/0000-0001-6246-8475>, e-mail: nguyenvietha@humg.edu.vn

Ngoc Quang Vu, Postgraduate Student, Department of Transport Planning and Urban Transport, University of Transport and Technology, Ha Noi, Vietnam, ORCID: <https://orcid.org/0000-S0001-8960-772X>

✉ *Corresponding author*