DIGITALES ARCHIV

ZBW – Leibniz-Informationszentrum Wirtschaft ZBW – Leibniz Information Centre for Economics

Chanidaporn Lunsamrong; Atit Tippichai

Article

Energy demand modeling for the eastern economic corridor of thailand : a case study of rayongprovince

International Journal of Energy Economics and Policy

Provided in Cooperation with: International Journal of Energy Economics and Policy (IJEEP)

Reference: Chanidaporn Lunsamrong/Atit Tippichai (2022). Energy demand modeling for the eastern economic corridor of thailand : a case study of rayongprovince. In: International Journal of Energy Economics and Policy 12 (2), S. 497 - 501. https://econjournals.com/index.php/ijeep/article/download/12884/6717/30134. doi:10.32479/ijeep.12884.

This Version is available at: http://hdl.handle.net/11159/8798

Kontakt/Contact ZBW – Leibniz-Informationszentrum Wirtschaft/Leibniz Information Centre for Economics Düsternbrooker Weg 120 24105 Kiel (Germany) E-Mail: *rights[at]zbw.eu* https://www.zbw.eu/

Standard-Nutzungsbedingungen:

Dieses Dokument darf zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden. Sie dürfen dieses Dokument nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, aufführen, vertreiben oder anderweitig nutzen. Sofern für das Dokument eine Open-Content-Lizenz verwendet wurde, so gelten abweichend von diesen Nutzungsbedingungen die in der Lizenz gewährten Nutzungsrechte. Alle auf diesem Vorblatt angegebenen Informationen einschließlich der Rechteinformationen (z.B. Nennung einer Creative Commons Lizenz) wurden automatisch generiert und müssen durch Nutzer:innen vor einer Nachnutzung sorgfältig überprüft werden. Die Lizenzangaben stammen aus Publikationsmetadaten und können Fehler oder Ungenauigkeiten enthalten.



κ'ΗΠ

https://savearchive.zbw.eu/termsofuse

Leibniz-Informationszentrum Wirtschaft

Leibniz Information Centre for Economics

Terms of use:

This document may be saved and copied for your personal and scholarly purposes. You are not to copy it for public or commercial purposes, to exhibit the document in public, to perform, distribute or otherwise use the document in public. If the document is made available under a Creative Commons Licence you may exercise further usage rights as specified in the licence. All information provided on this publication cover sheet, including copyright details (e.g. indication of a Creative Commons license), was automatically generated and must be carefully reviewed by users prior to reuse. The license information is derived from publication metadata and may contain errors or inaccuracies.





INTERNATIONAL JOURNAL C INERGY ECONOMICS AND POLIC International Journal of Energy Economics and Policy

ISSN: 2146-4553

available at http://www.econjournals.com

International Journal of Energy Economics and Policy, 2022, 12(2), 497-501.



Energy Demand Modeling for the Eastern Economic Corridor of Thailand: A Case Study of Rayong Province

Chanidaporn Lunsamrong, Atit Tippichai*

Department of Architecture and Planning, Faculty of Architecture, Art, and Design, King Mongkut's Institute of Technology Ladkrabang, Bangkok, Thailand. *Email: atit.ti@kmitl.ac.th

Received: 03 January 2022

Accepted: 13 March 2022

DOI: https://doi.org/10.32479/ijeep.12884

ABSTRACT

This paper assesses long-term energy consumption and greenhouse gas (GHG) emissions in Rayong Province which is one of the three provinces in the Eastern Economic Corridor (EEC) of Thailand. LEAP (the low emissions analysis platform) is used to project final energy demand for each economic sector by using the 2019 data as a base year. In the model, we defined the energy consumption into two scenarios; a business-as-usual (BAU) scenario and a low carbon scenario (LCS), to see different energy demand and CO_2 emissions up to the year 2050. There are different assumptions between BAU and LCS in each sector such as energy efficiency improvement, shift to modern energy, the share of high energy-efficient vehicles, etc. In the BAU scenario, the final energy consumption needed by Rayong Province will increase with an average annual growth rate (AAGR) of 3.49%, while only 1.52% for the LCS. CO_2 emissions in the LCS will be reduced by 41.7% by 2050 when compared with the BAU scenario. Most interestingly, even though energy demand in Rayong Province will be increasing up to 2050, CO_2 emissions will peak about 2035 and then reduce. The industry and transport sectors are the most final energy consumption and the highest CO_2 emissions. This is because EEC is driven by a production-based economy. The solution for this is to transform to alternative energies sourcing, shift all productions to sustainable ones, restructure the industrial estate to become the eco-industrial and GHG emission mitigation at the provincial level which will depend on the energy policies initiated and implemented in the future.

Keywords: Energy Demand Modeling, Greenhouse Gas, CO₂ Emissions, Scenario Analysis, Low Carbon City, Thailand JEL Classifications: O22, Q47, Q54

1. INTRODUCTION

Rayong is one of the three provinces in the Eastern Economic Corridor (EEC) project which is a highly important economic area of Thailand. This will be a huge source of employment with the most industrial estates in Thailand. With rapid industrial and infrastructure development, the energy demand is constantly increasing. If there is no energy policy, it can lead to an energy shortage crisis and other environmental problems such as air pollution and greenhouse gas emissions. In addition, energy imports are costly, thus making development inefficient. It could result in disruption to economic growth in the future. In the past, energy was not planned at the provincial level. However, in Thailand, energy policy and planning have been centralized to government agencies, the local governments had mainly functioned as implementing agencies of national policies and programs, which makes planning inefficient. Therefore, anticipating energy demand and finding ways to reduce energy consumption at the provincial level is an option to cope with future challenges. It can be used to plan energy appropriately and meet the potential of the province.

Energy modeling is commonly used to assess predictions of future energy needs. We compiled and summarized the research related to energy consumption projections as follows. Wangjiraniran et al.

This Journal is licensed under a Creative Commons Attribution 4.0 International License

(2017) conducted a study to analyze changes in the energy sector in Thailand. The results of this study showed that the high penetration of disruptive technologies will result in reducing greenhouse gas (GHG) emissions by 8.9% compared with Thailand's Integrated Energy Blueprint (TIEB) scenario. Electric vehicle (EV) is one of the disruptive technologies which will replace the use of oil in the transportation sector in Thailand. Chaichaloempreecha et al. (2019) conducted a study to evaluate the long-term energy demand in the building sector and the industrial sector during 2005-2050 through the perspective of GHG mitigation potential by end-use approach by using the LEAP model. Policies considered in this study include the Energy Efficiency Plan and the Alternative Energy Development Plan of Thailand. A review of the literature and models involved in the study found that the LEAP model is a favorite model for energy planning which can be used to evaluate policies and measures (Wangjiraniran et al., 2017; Chaichaloempreecha et al., 2019; Hu et al., 2019; Misila et al., 2020; Dioha et al., 2021; Chen et al., 2021; Gebremeskel et al., 2021; Kehbila et al., 2021). As a result of this study, the relevant authorities can apply the information to plan the implementation of energy efficiency improvements for future needs. In addition to creating energy security, it can also help reduce environmental problems effectively.

2. MATERIALS AND METHODS

2.1. Study Area

Rayong is a province located in the Eastern part of Thailand with an area of 3,552 square kilometers and a total population of 724,979 people. Rayong is a province with the highest gross provincial product (GPP) in Thailand at 993,977 million baht and the province with the highest gross provincial product per capita (GPP Per Capita) in Thailand, at 988,748 baht per year (Office of the National Economic and Social Development Council, 2019).

2.2. Data Collection

Data both top-down and bottom-up information was collected according to 5 economic sectors, i.e., household sector, building sector, industrial sector, agricultural and another sector, and transport sector. The collected data used in this study were obtained from previous studies and various official data sources in Thailand during 2010–2019. The collected data for each sector are as follows.

- Household sector: Urban and rural population, number of households, and end-use energy consumption per household
- Building sector: Sectoral value-added, and final energy consumption by fuel type
- Industrial sector: Sectoral value-added, and final energy consumption by fuel type
- Agricultural and other sectors: Sectoral value-added, and final energy consumption by fuel type
- Transportation sector: Number of vehicle registration by vehicle technology and fuel type, number of vehicle sales by vehicle technology and fuel type, fuel economy, vehicle kilometer-traveled, vehicle age distribution, etc.

2.3. LEAP Model

LEAP is developed by the Stockholm Environment Institute which is a software tool widely used for energy policy analysis and

development of climate change mitigation assessment. LEAP is an integrated, scenario-based modeling tool that can account for both energy sector and non-energy sector greenhouse gas emission sources and sinks (Hu et al., 2019).

In general, LEAP calculates energy demand using four different methods: Final energy demand, useful energy demand, stock, and transport analysis (Dioha et al., 2021). Energy demand can be estimated in LEAP using Equations (1) - (4). For a detailed description of the Nigerian LEAP model, see the work of Emodi et al. (2017). In addition, emission factors (EF) are required by specific types of energy resources or fuel to analyze the environmental impacts used in Equation (5). The structure of the LEAP model in this study is shown in Figure 1 and the structure of the sectoral modules in the LEAP model is shown in Figures 2 and 3. Final energy analysis= Activity level × Energy intensity (1)

Useful energy analysis = Activity level × (useful energy intensity/ efficiency) (2)

Stock analysis = stock and x device intensity	(3)	1
---	----	---	---

Transport analysis = stock (vehicle miles/fuel economy) (4)

GHG emissions = Activity Data: $AD \times Emission$ Factor: EF (5)

2.4. Scenarios and Assumptions

The energy demand forecasting in this study is divided into two scenarios: (1) Business as usual (BAU) and (2) low carbon scenario (LCS) which are defined as follows.

 Business as usual (BAU) scenario: No change in economic structure, it is a normal energy forecast based on historical

Figure	1:1	he structu	ire of th	e LEAP	model	in this	study



growth data. With the key driver of enhancement of economic competitiveness among provinces under the current policy plans

 Low Carbon scenario (LCS): Transformation of economic structure towards quality and sustainable growth which aims at reducing the impact of GHG-emission and environmentally

Figure 2: The structure of the household,	building,	and industry
modules in the LEAP m	odel	



Figure 3: The structure of the transport module in the LEAP model



friendly, due to the energy development policy and technological change to meet the climate goal.

Specific assumptions of each economic sector for both scenarios are shown in Table 1.

3. RESULTS AND DISCUSSION

3.1. Final Energy Consumption and GHG Emissions in the BAU Scenario

In the business-as-usual (BAU) scenario, during 2019–2050, results show that total final energy consumption increases from 2,109 to in 2019 to 5,915 ktoe in 2050 and accounted for an average annual growth rate of 3.49%. In 2050, the industrial sector will be the largest energy-consuming sector and accounted for 73.21% of total energy consumption. In addition, the transport, household, building agricultural and other sectors are accounted for 14.57%, 6.69%, 4.57%, and 0.95% of total energy consumption, respectively (Figure 4).

The total final energy consumption by fuel type in the business-asusual (BAU) scenario in 2050, the highest proportion of electricity consumption at 53.01% followed by Biomass, Diesel, and LPG are accounted for 24.30%, 8.54%, and 6.80%, respectively (Figure 5). In the future, Rayong Province shall promote economic zones and industrial zones; consequently, Rayong Province has a large potential to increase energy demand, especially for electricity. When considering the non-electricity energy consumption in BAU, it found that the share of non-electricity energy consumption in 2050 will change slightly from 2019 because it is not affected by any future projects or measures.

In addition, during 2019-2050, CO₂ emission and accounted for an annual average growth rate (AAGR) of 3.20%, increases from 1,949.0 ktCO₂eq in 2019 to 3,756.9 ktCO₂eq in 2050. More than half of CO₂ emissions will be dominated by the transport sector. The transport sector accounts for 60% of total CO₂ emissions from fuel combustion, followed by the industrial, building, agricultural and other, and household sectors at 22.18%, 11.21%, 4.01%, and 2.73%, respectively (Figure 6). CO₂ emissions will increase from 26.76 ktCO₂eq in 2019 to 38.45 ktCO₂eq in 2050 in the rural area of the household sector (increased by 1.33% annually). Similarly, CO₂ emissions in an urban area will increase with an AAGR of 5.64%. Moreover, LPG demand for cooking in the urban area will be significantly higher than that in greater rural areas. Therefore, CO₂ emission will be 64.24 ktCO₂eq in the urban area or 62.6% of total CO₂ emission in the household sector in 2050. This is the reason why the household sector in an urban area has the highest CO₂ emission.

3.2. Final Energy Consumption and GHG Emissions in the Low Carbon Scenario

In the low carbon scenario, due to the vigorous efforts paid toward removing fossil fuels from the Rayong Province (Figure 4), during 2019–2050, the total final energy consumption slightly increases with an AAGR of 1.52%, from 2,077 to 2019 to 3,256 ktoe in 2050. The industrial sector still is the largest energy-consuming sector as accounted for 71.1% of total energy consumption. In addition, the transport, household, building agricultural and other













Table 1: Assumptions of each economic sector by scenario

Economic	Key driving force				
sector	Business-as-usual	Low carbon scenario			
	scenario				
Household	Urbanization,	Energy efficiency improvement			
	Shifting from	of appliances, Shifting from			
	traditional fuel to	traditional fuel to LPG,			
	LPG	electricity, and biogas			
Building	Growth of value-	Utilization of Photovoltaic			
	added, Building	Rooftop towards net-zero			
	energy code	energy buildings			
Industry	Driven by EEC	Factory energy management,			
	and production-	Smart Factories			
	based economy				
Transport	Vehicle ownership,	Public transport promotion,			
	Population, and	Penetration of electric vehicles,			
	income	Fuel economy improvement			
Agricultural	Growth of value-	Productivity and technological			
and other	added	improvement, Smart framing			

sectors are accounted for 17.33%, 6.21%, 4.44%, and 0.92% of total energy consumption, respectively.

In the LCS, the advanced technologies will have an impact on the non-electricity energy demand, as the result, the proportion of nonelectricity energy consumption in 2050 will change significantly from 2019, especially fossil fuels, while the proportion of alternative energy and electricity consumption will increase.

In 2050, total CO₂ emission will be 2,190.2 ktCO₂eq with an AAGR of 1.31% per year. In addition, our analysis showed that CO₂ emission in the LCS will be reduced by 1,566.7 ktCO₂eq in 2050 when compared to the BAU scenario (Figure 6) or reduced by 41.7%, by 2050 when compared with the BAU scenario, and the transport sector contributes more than half (about 56%) of total CO₂ emission reductions from the Rayong Province.

Moreover, the entry of electric vehicles and fuel economy improvement can reduce demands for petroleum products, particularly gasoline and diesel. Although the increase of EVs on the road will lead to higher demands for electricity, it will reduce CO_2 emissions in the transport sector. CO_2 emission in the transport sector in 2019 were about 1,477 ktCO₂eq and will increase to 2,248 ktCO2eq in 2050. CO_2 emission will reduce by 878.9 ktCO₂eq in 2050 compared to the CO_2 emission level of the transport sector in the BAU scenario (Figure 6). As anticipated, the low carbon scenario proves to be the case with the largest CO_2 emission potential.

4. CONCLUSION

The results of the Low Emissions Analysis Platform (LEAP) can be used for inputting data, analyzing energy consumption, forecasting future energy, and assessing greenhouse gas emissions consumption to set appropriate energy measures correctly. It can be used to plan energy appropriately and meet the potential of the province. Furthermore, the quality of the scenario depends on the quality of the data and the analytical process of the user.

This paper defined two scenarios. The results of the Businessas-usual (BAU) scenario suggest a trend that it needs energy for all kinds of fuel. This is due to people lifestyles is changing gradually by income and quality of life rises. Environmental damages are increasingly becoming an issue. In the Low Carbon Scenario (LCS), the total final energy consumption will lower energy demand due to economic restructuring and intense energy efficiency push, moving toward a high value and low energyintensive sector.

Given the overall energy use within the various sectors in Rayong, the industrial and transportation sectors are the most final energy consumption and the highest CO_2 emissions. The solution for this is to transform to alternative energies sources, e.g., clean electricity. The shifting of all production to the sustainable ones, by the successful restructuring of the industrial estate to become the eco-industrial and GHG emission management, will also result in obvious carbon reduction. The prospects of a sustainable urban energy system will depend on the energy policies initiated and implemented in the future.

5. ACKNOWLEDGMENTS

The authors would like to thank the Ministry of Energy, Thailand that supporting the statistical data of energy consumption of Rayong Province in this study.

REFERENCES

- Chaichaloempreecha, A., Chunark, P., Limmeechokchai, B. (2019), Assessment of Thailand's energy policy on CO₂ emissions: Implication of national energy plans to achieve NDC target. International Energy Journal, 19, 47-60.
- Chen, S., Liu, Y., Lin, J. Shi, X., Jiang, K., Zhao, G. (2021), Coordinated reduction of CO₂ emissions and environmental impacts with integrated city-level LEAP and LCA method: A case study of Jinan, China, Advances in Climate Change Research, 12(6), 848-857.
- Dioha, M.O., Kumar, A., Ewim, D.R.E., Emodi, N.V. (2021), Alternative scenarios for low-carbon transport in Nigeria: A longrange energy alternatives planning system model application. In: Chaiechi, T, editor. Economic Effects of Natural Disasters: Theoretical Foundations, Methods, and Tools. Ch. 30. Cambridge, Massachusetts: Academic Press.
- Emodi, N.V., Emodi, C.C., Murthy, G.P., Emodi, A.S.S. (2017), Energy policy for low carbon development in Nigeria: A LEAP model application. Renewable and Sustainable Energy Reviews, 68(1), 247-261.
- Gebremeskel, D.H., Ahlgren, E.O., Beyene, G.B. (2021), Long-term evolution of energy and electricity demand forecasting: The case of Ethiopia, Energy Strategy Reviews, 36, 100671.
- Hu, G., Ma, X., Ji, J. (2019), Scenarios and policies for sustainable urban energy development based on LEAP model a case study of a postindustrial city: Shenzhen China. Applied Energy, 238, 876-886.
- Kehbila, A.G., Masumbuko, R.K., Ogeya, M., Osano, P. (2021), Assessing transition pathways to low-carbon electricity generation in Kenya: A hybrid approach using backcasting, socio-technical scenarios and energy system modelling, Renewable and Sustainable Energy Transition, 1, 100004.
- Misila, P., Winyuchakrit, P., Limmeechokchai, B. (2020), Thailand's longterm GHG emission reduction in 2050: The achievement of renewable energy and energy efficiency beyond the NDC. Heliyon, 6, e05720.
- Office of the National Economic and Social Development Council. (2019), Gross Regional and Provincial Product Chain Volume Measure. Available from: https://www.nesdc.go.th/main.php?filename=gross_ regional [Last accessed on 2021 Jul 30].
- Wangjiraniran, W., Pongthanaisawan, J., Junlakarn, S., Phadungsri, D. (2017), Scenario analysis of disruptive technology penetration on the energy system in Thailand. Energy Procedia, 142, 2661-2668.